# Author index


Aalen, R.B., Opsahl-Ferstad, H.-G., Linnestad, C. and Olsen, O.-A. *Transcripts encoding an oleosin and a dormancy-related protein are present in both the aleurone layer and the embryo of developing barley* (Hordeum vulgare *L.*) *seeds* 385
Abel, S. and Theologis, A. *Transient transformation of* Arabidopsis *leaf protoplasts: a versatile experimental system to study gene expression* 421
Aerts, R.J., Gisi, D., De Carolis, E., De Luca, V. and Baumann, T.W. *Methyl jasmonate vapor increases the developmentally controlled synthesis of alkaloids in* Catharanthus *and* Cinchona *seedlings* 635
Albersheim, P. *see* Bergmann, C.W.
Albini, S.M. *A karyotype of the* Arabidopsis thaliana *genome derived from synaptonemal complex analysis at prophase I of meiosis* 665
Angenent, G.C., Franken, J., Busscher, M., Weiss, D. and van Tunen, A.J. *Co-suppression of the petunia homeotic gene* fbp2 *affects the identity of the generative meristem* 33
Apotheker-de Groot, M. *see* Melchers, L.S.
Arbinger, B. *see* Fischer, K.

Baga, M. *see* Nehra, N.S.
Balcells, L., Sundberg, E. and Coupland, G. *A heat-shock promoter fusion to the Ac transposase gene drives inducible transposition of a Ds element during* Arabidopsis *embryo development* 755
Barcelo, P., Hagel, C., Becker, D., Martin, A. and Lörz, H. *Transgenic cereal (tritordeum) plants obtained at high efficiency by microprojectile bombardment of inflorescence tissue* 583
Bartels, D. *see* Nelson, D.
Baumann, T.W. *see* Aerts, R.J.
Bean, S. *see* Chen, D.F.
Becker, D. *see* Barcelo, P.
Becker, D., Brettschneider, R. and Lörz, H. *Fertile transgenic wheat from microprojectile bombardment of scutellar tissue* 299
Beffa, R. *see* Vögeli-Lange, R.
Benhamou, N. *see* Bergmann, C.W.
Bergmann, C.W., Ito, Y., Singer, D., Albersheim, P., Darvill, A.G., Benhamou, N., Nuss, L., Salvi, G., Cervone, F. and De Lorenzo, G. *Polygalacturonase-inhibiting protein accumulates in* Phaseolus vulgaris *L. in response to wounding elicitors and fungal infection* 625
Bevan, M.W. *see* Grant, M.
Beven, A. *see* Smallwood, M.
Blatt, M.R. and Thiel, G. *$K^+$ channels of stomatal guard cells: bimodal control of the $K^+$ inward-rectifier evoked by auxin* 55
Blatt, M.R. *see* Thiel, G.
Boccara, M. *see* Pouteau, S.
Bol, J.F. *see* Melchers, L.S.
Boller, T. *see* Neuhaus, J.-M.
Boller, T. *see* Staehelin, C.
Bollini, R. *see* Pedrazzini, E.
Bonig, I. *see* Meikle, P.J.
Bonness, M.S., Ready, M.P., Irvin, J.D. and Mabry, T.J. *Pokeweed antiviral protein inactivates pokeweed ribosomes: implications for the antiviral mechanism* 173
Boutry, M. *see* Houlné, G.
Brar, G.S., Cohen, B.A., Vick, C.L. and Johnson, G.W. *Recovery of transgenic peanut* (Arachis hypogaea *L.*) *plants from elite cultivars utilizing ACCELL® technology* 745
Brattig, T. *see* Heinlein, M.
Brettschneider, R. *see* Becker, D.
Brink, S. *see* Fischer, K.
Bronner, R. *see* Hunold, R.
Brugliera, F., Holton, T.A., Stevenson, T.W., Farcy, E., Lu, C.-Y. and Cornish, E.C. *Isolation and characterization of a cDNA clone corresponding to the* Rt *locus of* Petunia hybrida 81
Bujard, H. *see* Weinmann, P.
Busch, C. *see* Fischer, K.
Busscher, M. *see* Angenent, G.C.

Caboche, M. *see* Faure, J.-D.
Cameron, R.K., Dixon, R.A. and Lamb, C.J. *Biologically induced systemic acquired resistance in* Arabidopsis thaliana 715
Caswell, K. *see* Nehra, N.S.
Ceriotti, A. *see* Pedrazzini, E.
Cervone, F. *see* Bergmann, C.W.
Chang, S.S., Park, S.K., Kim, B.C., Kang, B.J., Kim, D.U. and Nam, H.G. *Stable genetic transformation of* Arabidopsis thaliana *by* Agrobacterium *inoculation in planta* 551
Chekkafi, A. *see* Fitchette-Lainé, A.-C.
Chen, D.F., Dale, P.J., Heslop-Harrison, J.S., Snape, J.W., Harwood, W., Bean, S. and Mullineaux, P.M. *Stability of transgenes and presence of $N^6$ methyladenine DNA in transformed wheat cells* 429
Chibbar, R.N. *see* Nehra, N.S.
Clack, T. *see* Wester, L.
Clarke, A.E. *see* Meikle, P.J.
Cnops, G. *see* Schmidt, R.
Cohen, B.A. *see* Brar, G.S.
Cornelissen, B.J.C. *see* Melchers, L.S.
Cornish, E.C. *see* Brugliera, F.
Corzo, A. *see* Marshall, J.
Coupland, G. *see* Balcells, L.
Coupland, G. *see* Schmidt, R.

da Silva Conceição, A. and Krebbers, E. *A cotyledon regulatory region is responsible for the different spatial expression patterns of* Arabidopsis *2S albumin genes* 493
Dale, P.J. *see* Chen, D.F.
Darvill, A.G. *see* Bergmann, C.W.
Dean, C. *see* Schmidt, R.
De Carolis, E. *see* Aerts, R.J.
de Graaff, A. *see* Kroon, J.
De Lorenzo, G. *see* Bergmann, C.W.
De Luca, V. *see* Aerts, R.J.
Dixon, R.A. *see* Cameron, R.K.
Donovan, N. *see* Smallwood, M.
Doyle, M. *see* Tonoike, H.
Dresselhaus, T., Lörz, H. and Kranz, E. *Representative cDNA libraries from few plant cells* 605
Duckett, C.M. and Lloyd, C.W. *Gibberellic acid-induced microtubule reorientation in dwarf peas is accompanied by rapid modification of an α-tubulin isotype* 363
Dumas, C. *see* Mòl, R.

Eady, C., Lindsey, K. and Twell, D. *Differential activation and conserved vegetative cell-specific activity of a late pollen promoter in species with bicellular and tricellular pollen* 543
Eckerskorn, C. *see* Fischer, K.
Eiben, H.G. and Slusarenko, A.J. *Complex spatial and temporal expression of lipoxygenase genes during* Phaseolus vulgaris *(L.) development* 123

Fabri, C.O. and Schäffner, A.R. *An* Arabidopsis thaliana *RFLP mapping set to localize mutations to chromosomal regions* 149

Farcy, E. *see* Brugliera, F.
Faure, J.-D., Jullien, M. and Caboche, M. Zea3: *a pleiotropic mutation affecting cotyledon development, cytokinin resistance and carbon–nitrogen metabolism* 481
Faye, L. *see* Fitchette-Lainé, A.-C.
Feri, R.J. *see* Paul, A.-L.
Fernández, E. *see* Quesada, A.
Fischer, K., Arbinger, B., Kammerer, B., Busch, C., Brink, S., Wallmeier, H., Sauer, N., Eckerskorn, C. and Flugge, U.I. *Cloning and* in vivo *expression of functional triose phosphate/phosphate translocators from $C_3$- and $C_4$-plants: evidence for the putative participation of specific amino acid residues in the recognition of phosphoenolypyruvate* 215
Fitchette-Lainé, A.-C., Gomord, V., Chekkafi, A. and Faye, L. *Distribution of xylosylation and fucosylation in the plant Golgi apparatus* 673
Fleming, A.J. *see* Neuenschwander, U.
Flugge, U.I. *see* Fischer, K.
Fosket, D.E. *see* Tonoike, H.
Franken, J. *see* Angenent, G.C.
Frohnmeyer, H., Hahlbrook, K. and Schafer, E. *A light-responsive* in vitro *transcription system from evacuolated parsley protoplasts* 437
Fründt, C. *see* Vögeli-Lange, R.
Fujita, T., Kouchi, H., Ichikawa, T. and Syōno, K. *Cloning of cDNAs for genes that are specifically or preferentially expressed during the development of tobacco genetic tumors* 645

Galván, A. *see* Quesada, A.
Gatz, C. *see* Weinmann, P.
Giovinazzo, G. *see* Pedrazzini, E.
Gisi, D. *see* Aerts, R.J.
Godiard, L. *see* Pontier, D.
Gomord, V. *see* Fitchette-Lainé, A.-C.
Gossen, M. *see* Weinmann, P.
Gotoh, Y. *see* Mizoguchi, T.
Graeve, K., von Schaewen, A. and Scheibe, R. *Purification, characterization, and cDNA sequence of glucose-6-phosphate dehydrogenase from potato (*Solanum tuberosum *L.)* 353
Grandbastien, M.-A. *see* Pouteau, S.
Grant, M. and Bevan, M.W. *Asparaginase gene expression is regulated in a complex spatial and temporal pattern in nitrogen-sink tissues* 695
Guiltinan, M. *see* Tonoike, H.

Hagel, C. *see* Barcelo, P.
Hahlbrook, K. *see* Frohnmeyer, H.
Hahne, G. *see* Hunold, R.
Hallick, R.B. *see* Stevenson, J.K.
Han, I.-S. *see* Tonoike, H.
Hanson, M.R. *see* Nivison, H.T.
Hart, C.M. *see* Vögeli-Lange, R.
Harwood, W. *see* Chen, D.F.
Hayashida, N. *see* Mizoguchi, T.
Heinlein, M., Brattig, T. and Kunze, R. In vivo *aggregation of maize* Activator (Ac) *transposase in nuclei of maize endosperm and* Petunia *protoplasts* 705
Heslop-Harrison, J.S. *see* Chen, D.F.
Hiatt, W.R. *see* Martineau, B.
Hillen, W. *see* Weinmann, P.
Hohn, B. *see* Shen, W.-H.
Holton, T.A. *see* Brugliera, F.
Hoogenraad, N.J. *see* Meikle, P.J.
Houck, C.M. *see* Martineau, B.
Houlné, G. and Boutry, M. *Identification of an* Arabidopsis thaliana *gene encoding a plasma membrane $H^+$-ATPase whose expression is restricted to anther tissues* 311

Hunold, R., Bronner, R. and Hahne, G. *Early events in microprojectile bombardment: cell viability and particle location* 593
Hyams, J.S. *see* Young, T.

Ichikawa, T. *see* Fujita, T.
Irvin, J.D. *see* Bonness, M.S.
Ito, Y. *see* Bergmann, C.W.
Iwasaki, T. *see* Mizoguchi, T.

Jan, S.-P. *see* Sheu, J.-J.
Johnson, G.W. *see* Brar, G.S.
Jongewaard, I. *see* Tonoike, H.
Jullien, M. *see* Faure, J.-D.

Kamada, H. *see* Mizoguchi, T.
Kammerer, B. *see* Fischer, K.
Kang, B.J. *see* Chang, S.S.
Kartha, K.K. *see* Nehra, N.S.
Kieliszewski, M.J. and Lamport, D.T.A. *Extensin: repetitive motifs, functional sites, post-translational codes, and phylogeny* 157
Kim, B.C. *see* Chang, S.S.
Kim, D.U. *see* Chang, S.S.
Knox, J.P. *see* Smallwood, M.
Koes, R. *see* Kroon, J.
Kondorosi, Á. *see* Staehelin, C.
Kondorosi, É. *see* Staehelin, C.
Kouchi, H. *see* Fujita, T.
Kranz, E. *see* Dresselhaus, T.
Krebbers, E. *see* da Silva Conceição, A.
Kroon, J., Souer, E., de Graaff, A., Xue, Y., Mol, J. and and Koes, R. *Cloning and structural analysis of the anthocyanin pigmentation locus* Rt *of* Petunia hybrida: *characterization of insertion sequences in two mutant alleles* 69
Kuhlemeier, C. *see* Neuenschwander, U.
Kunze, R. *see* Heinlein, M.

Lamb, C.J. *see* Cameron, R.K.
Lamport, D.T.A. *see* Kieliszewski, M.J.
Lee, H.-T. *see* Sheu, J.-J.
Leith, R.A. *see* Marshall, J.
Leung, N. *see* Nehra, N.S.
Lindsey, K. *see* Eady, C.
Linnestad, C. *see* Aalen, R.B.
Linthorst, H.J.M. *see* Melchers, L.S.
Lloyd, C.W. *see* Duckett, C.M.
Lloyd, C.W. *see* Young, T.
Lörz, H. *see* Barcelo, P.
Lörz, H. *see* Becker, D.
Lörz, H. *see* Dresselhaus, T.
Lu, C.-Y. *see* Brugliera, F.
Lusardi, M.C., Neuhaus-Url, G., Potrykus, I. and Neuhaus, G. *An approach towards genetically engineered cell fate mapping in maize using the* Lc *gene as a visible marker: transactivation capacity of* Lc *vectors in differentiated maize cells and micro-injection of* Lc *vectors into somatic embryos and shoot apical meristems* 571
Lyon, G.D. *see* MacKintosh, C.

Mabry, T.J. *see* Bonness, M.S.
MacKintosh, C., Lyon, G.D. and MacKintosh, R.W. *Protein phosphatase inhibitors activate anti-fungal defence responses of soyabean cotyledons and cell cultures* 137
MacKintosh, R.W. *see* MacKintosh, C.
Malhó, R., Read, N.D., Pais, M.S. and Trewavas, A.J. *Role of cytosolic free calcium in the reorientation of pollen tube growth* 331

Mallard, C. *see* Nehra, N.S.
Marco, Y. *see* Pontier, D.
Marshall, J., Corzo, A., Leith, R.A. and Sanders, D. *Membrane potential-dependent calcium transport in right-side-out plasma membrane vesicles from* Zea mays *L. roots* 683
Martin, A. *see* Barcelo, P.
Martineau, B., Houck, C.M., Sheehy, R.E. and Hiatt, W.R. *Fruit-specific expression of the* A. tumefaciens *isopentenyl transferase gene in tomato: effects on fruit ripening and defense-related gene expression in leaves* 11
Matthys-Rochon, E. *see* Mòl, R.
Meikle, P.J., Hoogenraad, N.J., Bonig, I., Clarke, A.E. and Stone, B.A. *A (1→3, 1→4)-β-glucan-specific monoclonal antibody and its use in the quantitation and immunocytochemical location of (1→3, 1→4)-β-glucans* 1
Melchers, L.S., Apotheker-de Groot, M., van der Knaap, J.A., Ponstein, A.S., Sela-Buurlage, M.B., Bol, J.F., Cornelissen, B.J.C., van den Elzen, P.J.M. and Linthorst, H.J.M. *A new class of tobacco chitinases homologous to bacterial exo-chitinases displays antifungal activity* 469
Mellor, R.B. *see* Staehelin, C.
Mittler, R. and Zilinskas, B.A. *Regulation of pea cytosolic ascorbate peroxidase and other antioxidant enzymes during the progression of drought stress and following recovery from drought* 397
Mizoguchi, T., Gotoh, Y., Nishida, E., Yamaguchi-Shinozaki, K., Hayashida, N., Iwasaki, T., Kamada, H. and Shinozaki, K. *Characterization of two cDNAs that encode MAP kinase homologues in* Arabidopsis thaliana *and analysis of the possible role of auxin in activating such kinase activities in cultured cells* 111
Mol, J. *see* Kroon, J.
Mòl, R., Matthys-Rochon, E. and Dumas, C. *The kinetics of cytological events during double fertilization in* Zea mays *L.* 197
Motte, P. *see* Steinmayr, M.
Mullineaux, P.M. *see* Chen, D.F.

Nam, H.G. *see* Chang, S.S.
Nasrallah, J.B., Rundle, S.J. and Nasrallah, M.E. *Genetic evidence for the requirement of the* Brassica S-*locus receptor kinase gene in the self-incompatibility response* 373
Nasrallah, M.E. *see* Nasrallah, J.B.
Nehra, N.S., Chibbar, R.N., Leung, N., Caswell, K., Mallard, C., Steinhauer, L., Baga, M. and Kartha, K.K. *Self-fertile transgenic wheat plants regenerated from isolated scutellar tissues following microprojectile bombardment with two distinct gene constructs* 285
Neill, S.J. *see* Smallwood, M.
Nelson, D., Salamini, F. and Bartels, D. *Abscisic acid promotes novel DNA-binding activity to a desiccation-related promoter of* Craterostigma plantigineum 451
Neuenschwander, U., Fleming, A.J. and Kuhlemeier, C. *Cytokinin induces the developmentally restricted synthesis of an extracellular protein in* Physcomitrella patens 21
Neuhaus, G. *see* Lusardi, M.C.
Neuhaus, J.-M., Pietrzak, M. and Boller, T. *Mutation analysis of the C-terminal vacuolar targeting peptide of tobacco chitinase: low specificity of the sorting system and gradual transition between intracellular retention and secretion into the extracellullar space* 45
Neuhaus-Url, G. *see* Lusardi, M.C.
Nishida, E. *see* Mizoguchi, T.
Nivison, H.T., Sutton, C.A., Wilson, R.K. and Hanson, M.R. *Sequencing, processing, and localization of the petunia CMS-associated mitochondrial protein* 613
Nuss, L. *see* Bergmann, C.W.

Olsen, O.-A. *see* Aalen, R.B.
Opsahl-Ferstad, H.-G. *see* Aalen, R.B.

Pais, M.S. *see* Malhó, R.
Park, S.K. *see* Chang, S.S.
Paul, A.-L. and Feri, R.J. In vivo *footprinting identifies an activating element of the maize* Adh2 *promoter specific for root and vascular tissues* 523
Peart, J. *see* Smallwood, M.
Pedrazzini, E., Giovinazzo, G., Bollini, R., Ceriotti, A. and Vitale, A. *Binding of BiP to assembly-defective protein in plant cells* 103
Pietrzak, M. *see* Neuhaus, J.-M.
Ponstein, A.S. *see* Melchers, L.S.
Pontier, D., Godiard, L., Marco, Y. and Roby, D. hsr*203J, a tobacco gene whose activation is rapid, highly localized and specific for incompatible plant/pathogen interactions* 507
Potrykus, I. *see* Lusardi, M.C.
Pouteau, S., Grandbastien, M.-A. and Boccara, M. *Microbial elicitors of plant defense responses activate transcription of a retrotransposon* 535
Putterill, J. *see* Schmidt, R.

Quesada, A., Galván, A. and Fernández, E. *Identification of nitrate transporter genes in* Chlamydomonas reinhardtii 407

Raikhel, N.V. *see* Varagona, M.J.
Read, N.D. *see* Malhó, R.
Ready, M.P. *see* Bonness, M.S.
Roberts, K. *see* Smallwood, M.
Robson, F. *see* Schmidt, R.
Roby, D. *see* Pontier, D.
Rundle, S.J. *see* Nasrallah, J.B.

Saedler, H. *see* Steinmayr, M.
Salamini, F. *see* Nelson, D.
Salvi, G. *see* Bergmann, C.W.
Sanders, D. *see* Marshall, J.
Sauer, N. *see* Fischer, K.
Schafer, E. *see* Frohnmeyer, H.
Schäffner, A.R. *see* Fabri, C.O.
Scheibe, R. *see* Graeve, K.
Schmidt, R., Putterill, J., West, J., Cnops, G., Robson, F., Coupland, G. and Dean, C. *Analysis of clones carrying repeated DNA sequences in two YAC libraries of* Arabidopsis thaliana *DNA* 735
Schultze, M. *see* Staehelin, C.
Schwarz-Sommer, Z. *see* Steinmayr, M.
Sela-Buurlage, M.B. *see* Melchers, L.S.
Sharrock, R.A. *see* Wester, L.
Sheehy, R.E. *see* Martineau, B.
Shen, W.-H. and Hohn, B. *Amplification and expression of the β-glucuronidase gene in maize plants by vectors based on maize streak virus* 227
Sherrier, D.J. and VandenBosch, K.A. *Secretion of cell wall polysaccharides in* Vicia *root hairs* 185
Sheu, J.-J., Jan, S.-P., Lee, H.-T. and Yu, S.-M. *Control of transcription and mRNA turnover as mechanisms of metabolic repression of α-amylase gene expression* 655
Shinozaki, K. *see* Mizoguchi, T.
Singer, D. *see* Bergmann, C.W.
Slusarenko, A.J. *see* Eiben, H.G.
Smallwood, M., Beven, A., Donovan, N., Neill, S.J., Peart, J., Roberts, K. and Knox, J.P. *Localization of cell wall proteins in relation to the developmental anatomy of the carrot root apex* 237
Snape, J.W. *see* Chen, D.F.

Somers, D.E. *see* Wester, L.
Sommer, H. *see* Steinmayr, M.
Souer, E. *see* Kroon, J.
Staehelin, C., Schultze, M., Kondorosi, É., Mellor, R.B., Boller, T. and Kondorosi, Á. *Structural modifications in* Rhizobium meliloti *Nod factors influence their stability against hydrolysis by root chitinases* 319
Steinhauer, L. *see* Nehra, N.S.
Steinmayr, M., Motte, P., Sommer, H., Saedler, H. and Schwarz-Sommer, Z. *FIL2, an extracellular Leucine-Rich Repeat protein, is specifically expressed in* Antirrhinum *flowers* 459
Stevenson, J.K. and Hallick, R.B. *The* psaA *operon pre-mRNA of the* Euglena gracilis *chloroplast is processed into photosystem I and II mRNAs that accumulate differentially depending on the conditions of cell growth* 247
Stevenson, T.W. *see* Brugliera, F.
Stone, B.A. *see* Meikle, P.J.
Sundberg, E. *see* Balcells, L.
Sutton, C.A. *see* Nivison, H.T.
Syōno, K. see Fujita, T.

Theologis, A. *see* Abel, S.
Thiel, G. and Blatt, M.R. *Phosphatase antagonist okadaic acid inhibits steady-state $K^+$ currents in guard cells of* Vicia faba 727
Thiel, G. *see* Blatt, M.R.
Tonoike, H., Han, I.-S., Jongewaard, I., Doyle, M., Guiltinan, M. and Fosket, D.E. *Hypocotyl expression and light downregulation of the soybean tubulin gene,* tubB*1* 343
Trewavas, A.J. *see* Malhó, R.
Twell, D. *see* Eady, C.

van den Elzen, P.J.M. *see* Melchers, L.S.
van der Knaap, J.A. see Melchers, L.S.
van Tunen, A.J. *see* Angenent, G.C.
VandenBosch, K.A. *see* Sherrier, D.J.
Varagona, M.J. and Raikhel, N.V. *The basic domain in the bZIP regulatory protein Opaque2 serves two independent functions: DNA binding and nuclear localization* 207
Vick, C.L. *see* Brar, G.S.
Vitale, A. *see* Pedrazzini, E.
Vögeli-Lange, R., Fründt, C., Hart, C.M. and Beffa, R. *Evidence for a role of β-1,3-glucanase in dicot seed germination* 273
von Schaewen, A. *see* Graeve, K.

Wallmeier, H. *see* Fischer, K.
Weinmann, P., Gossen, M., Hillen, W., Bujard, H. and Gatz, C. *A chimeric transactivator allows tetracycline-responsive gene expression in whole plants* 559
Weiss, D. *see* Angenent, G.C.
West, J. *see* Schmidt, R.
Wester, L., Somers, D.E., Clack, T. and Sharrock, R.A. *Transgenic complementation of the* hy3 *phytochrome B mutation and response to* PHYB *gene copy number in* Arabidopsis 261
Wilson, R.K. *see* Nivison, H.T.

Xue, Y. *see* Kroon, J.

Yamaguchi-Shinozaki, K. *see* Mizoguchi, T.
Young, T., Hyams, J.S. and Lloyd, C.W. *Increased cell cycle-dependent staining of plant cells by the antibody MPM-2 correlates with preprophase band formation* 279
Yu, S.-M. *see* Sheu, J.-J.

Zilinskas, B.A. *see* Mittler, R.

# Subject index


α-amylase genes 655
α-tubulin 363
ABA 764
ABA-insensitive 764
abscisic acid response element 451
*Ac*/*Ds* 861
ACCELL® technology 745
actin genes 655
*Agrobacterium* 551
2S albumins 493
alcohol dehydrogenase 523
alkaloid synthesis 635
amino acids 481
anther expression 311
anthocyanin 81, 571
antifungal activity 469
antioxidant enzymes 397
antisense RNA 785
antiviral proteins 825
*Arabidopsis* 111, 311, 764
*Arabidopsis thaliana* 421, 543, 551, 665, 715, 735, 893
  mutants 149
arabinogalactan-protein 157
ascorbate peroxidase 397
asparaginase 695
auxin 55, 111

β-1,3-glucanase 273
β-*phaseolin* gene 883
β-tubulin gene 343
bacterial adhesion 871
*bar* gene 299
Basta 299
  resistance 745
bean seed storage protein 883
binding protein 103
  (BiP/GRP78) 103
biolistics 285
*Brassica* 373
bZIP 207

C-terminal 45
  propeptide 45
calcium influx 683
carbohydrate recognition 871
carrot root apex 237
catalase 397
Catharanthus 635
cDNA
  cloning 111
  library 605
  sequence 353, 385
cell
  expansion 771
  lineage 755
cell fate mapping gene 571
cell wall 185
  architecture 771
  protein 237
cellular polarity 331
cereals 583
chalcone synthase 437
channel blockers 683
chimaeric YACs 735
chimeric transactivator 559
chitin-binding proteins 847
chitinase 45, 319
  gene 469
chloramphenicol acetyltransferase (CAT) 421
chlorophyll *a* fluorescence quenching 835
chloroplast 247
  DNA sequences 735
*Cinchona* 635
circadian rhythms 797
*cis*-acting elements 493
$^{14}CO_2$ incorporation 835
co-suppression 33
*Colletotrichum lindemuthianum* 625
Columbia 149
cotyledon 493
cucumber mosaic virus 835
*Cucurbita pepo* 835
cytokinin 11, 21, 481
cytoplasmic male sterility 613
cytoskeleton 279
cytosolic calcium 331
cytosolic isoform 353

defense gene 507
development 21, 247
developmental plant anatomy 237
DGGE electrophoresis 889
disintegrin 847
DMS 523
DNA-binding proteins 451
DNA sequence analysis 469
dormancy 764
drought stress 397
*Ds* transposition 755
*dTph1* 69
*dTph3* 69

*Eco*RI 149
egg cell 605
electrical fields 331
ELISA 1
elite cultivars 745
embryo sac 197
embryonic axis 745
endophytes 429
endoplasmic reticulum 103
endosperm 197, 273, 705
Enkheim 149
*Erwinia chrysanthemi* 535
esters 771
*Euglena* 247
excision 861
extensin 157, 847
extracellular
  matrix 459
  protein 21

*fbp2* 33
*Flaveria* 215
flavonoids 81
flower development 33, 459
Fourier Transform Infra-red microspectroscopy 771
fruit ripening 11
fucosylation 673
functional sites 157

G-box 883

geminivirus 861
gene
  cluster 407
  expression 123, 343, 421, 625, 893
  expression tetracycline-responsive 559
  family 261
  regulation 543
  structure 459
genetic engineering 285
genetic tumor 645
genomic sequencing 523
germination 635, 764
germline transformation 745
gibberellin 363
(1→3,1→4)-β-glucan 1
glucose-6-phosphate dehydrogenase 353
glycoprotein 157, 459
glycosyltransferase 81
*Gmhsp17.3-B* promoter 755
Golgi body 185, 673
Gramineae 429
guard cells 55
GUS
  activity 421
  expression 559
  fusions 507
  reporter gene 273, 299
  transcription 437

$H^+$-ATPase 55, 311
herbicide tolerance 285
host–pathogen interaction 625
HRGP 847
*hrp* genes 507
hydrophobic protein 407
hydroxyproline 847
hydroxyproline-rich 157
  glycoprotein 237
hypersensitive reaction 507
hypersensitive response 535, 715
hypocotyl expression 343

imbibition 93
immunochemistry 1
immunocytochemistry 673
*in planta* 551
*in situ* hybridization 385, 493, 665
induction 625
inflorescence cultures 583
inheritance 299
insertional mutagenesis 893
intercistronic 247
ion channel 683
iontophoresis 331
isoflavonoids 137

jasmonate 123

$K^+$ conductance control 727
$K^+$ channels 55
karyogamy 197
karyotype 665

Landsberg 149
late embryogenesis-abundant 764
*Lc* gene 571
leaf 523
  development 149
lectin 871

light
  down-regulation 343
  regulation 481
lipoxygenase 123

MADS box gene 33
maize 197, 207, 571, 605
  Activator 705
MAP
  kinase 111
  kinase kinase 111
markers of somatic embryogenesis 385
membrane potential 683
metabolic control 813
metabolic repression 655
methyl jasmonate 635
methylated DNA 429
microbial elicitors 535
microinjection 571
microprojectile bombardment 299
microtubules 279, 363
mitochondria 613
molecular mapping 149
monoclonal antibody 1, 237
MPM-2 279
mRNA 247
mutated protein 103

*Nicotiana* 645
*Nicotiana tabacum* 543, 593
Nitr-5 331
nitrate
  assimilation 481
  transporter 407
nitrogen metabolism 695
NLS 207
Nod factor 319
  hydrolysis 319
nodulation 871
nuclear targeting 207

okadaic acid 727
organ specific expression 459
organ specificity 93
oxidative pentose-phosphate pathway 353
oxidative stress 397

pachytene 665
parsley 437
particle
  bombardment 583
  gun 593
pathogen 123
PCR 215, 889
pectins 771
*Petroselinum crispum* 437
petunia 33, 613, 705
*Petunia hybrida* 81
PGIP 625
phaseolin 103
*Phaseolus vulgaris* 625
phenylalanine ammonia-lyase 137
phosphoenolpyruvate transport 215
phosphorylation/dephosphorylation 727
photomorphogenesis 261
photosynthesis 785
*Physcomitrella* 21
*Phytolacca* 173
*Phytophora* sp. 535
*Pisum sativum* 215

plant cell
  cycle 279
  surface 237
  wall 157
plant
  defense 11
  defense response 625
  development 261
  N-linked glycans 673
  –pathogen interactions 507
  transformation 261
  –virus interaction 835
plasma membrane 311, 683
pokeweed antiviral protein 173
pollen
  promoter 543
  tubes 331
polygalacturonan 185
post-transcriptional control 655
post-translational modification 363
potato tubers 813
preprophase band 279
processing 45, 247
promoter trapping 893
protein
  assembly 103
  phosphatase inhibitors 137
  phosphatases 137
  processing 613
  sorting 45
protoplasts 437, 705, 861
*Pseudomonas solanacearum* 507
*Pseudomonas syringae* pv. tomato 715

*Rca* genes 785
rDNA 665, 735
receptor kinase 373
regulatory gene 69
regulatory photoreceptor 261
repeated DNA 735
repetitive proline-rich protein 157
reproductive organs 459
retrotransposon 535
rhamnosyl transferase 69, 81
*Rhizobium meliloti* 319
ribosome-inactivating protein 173, 825
rice 655, 861
RIP 173
RNA editing 613
root hair 185
RT/PCR 605
Rubisco 785
  activase 785

*S* locus 373
*Schizosaccharomyces pombe* 215
scutellum 285
*Secale cereale* L. 889
secretion 185
seed
  development 385, 695
  germination 273
  maturation 93
  protein genes 493
seedling 635
  development 481
self-compatibility 373
self-incompatibility 373, 889
self-pollination 373
sHSPs 93
signal transduction 451
solanaceous lectin 847
*Solanum tuberosum* 353
somatic embryogenesis 285
soybean 343
  phytoalexins 137
sperm (nucleus) 197
*Spinacia oleracea* 215
stable transformation 593
starch accumulation 835
storage proteins 813
stress 645
substrate binding site 215
subtraction 645
sucrose 481
superoxide dismutase 397
suspension culture 593
symbiosis 871
synaptonemal complex 665
systemic acquired resistance 715

tissue
  culture 173
  prints 123
  -specific expression 385, 493
tobacco 469, 535, 559, 771, 785
  BY2 111
  mosaic virus 469, 825
  ribosomes 825
tomato 11
  pollen 543
transcription 451
  factor 207
  light responsive 437
transcriptional control 655, 695, 813
transcriptional regulation 273, 343
transformation 11, 429, 551, 583
  of protoplasts 421
transgenes 429
transgenic 523
  peanut 745
  plants 343, 813
  wheat 299
transient expression 45, 103, 593
transposable element 69
transposase 705
transposition 861
transposon tagging 755
*Triticum aestivum* L. 285
tritordeum 583
tTA 559
tumorigenesis 645

unstable YACs 735

vacuolar targeting 45
*Vicia* 55
*Vicia faba* guard cells 727
virus distribution 835
visible marker gene 571
voltage clamp 727

water stress 451
wheat 429
  aleurone 1
wound 551

xyloglucan 185
xylosylation 673

*Zea mays* 207, 593, 683
zygote 197
zygotic embryogenesis 893